

FLOS

F3178059 Brass

IC Lights C/W1

Designed by Michael Anastassiades, 2014



Halogen - 60W

Wall-ceiling lamp providing diffused light. Frame in brass, brushed and transparent varnished or chrome steel. Blown glass opal diffuser.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

Main specifications

| | |
|-------------------|--------------------------|
| Mounting | Ceiling and wall surface |
| Environments | Indoor dry location |
| Light Source Type | Bulb |
| Lamp category | Halogen |
| Lamp holders | E14 |
| Ilcos | HSGS |
| Number of heads | 1 |
| Power (W) | 60 |

Physical

| | |
|---------------------|-------|
| Colour | Brass |
| Length (mm) | 200 |
| Net weight (kg) | 1.65 |
| Package volume (m3) | 0.04 |
| IP internal | 20 |



Download

[Mounting instructions](#) PDF

[Spare Parts](#) PDF

Photometric Files


[LDT / IES](#) LDT

Technical Drawings


[2D](#) ZIP

[3D](#) ZIP

[Bim](#) ZIP



Schematic light drawing



Luminous flux Luminaire
689 lm

Photometric

| | |
|--------------------|------------|
| Lighting type | Total |
| Light distribution | Asymmetric |
| Extreme cut off | No |

Electrical

| | |
|----------------------|---|
| Insulation class | I |
| Frequency (Hz) | 50/60 |
| Main voltage (Vac) | 220-250 |
| LED voltage Vf (Vdc) | null |
| Dimmable | Yes |
| Dimming interface | Remote Dimmable (Dimmer Not Included) |
| Batteries inside | No |

Bulbs



NOT INCLUDED

RF32290

LED Lamp E14 8W 2700K T28



NOT INCLUDED

RF32291

LED Lamp E14 8W 3000K T28



NOT INCLUDED

RF32767

LED Lamp 9W E14 220-240V
2700K T28




NOT INCLUDED

RF32768

LED Lamp 9W E14 220-240V
3000K T28

Spare Parts



- | | | |
|-----|--|-----------|
| 01. | IC Lights 1 diffuser for brass version | F3136059 |
| 02. | Kit with screws and allen key | RF3160100 |

DOWNLOAD



F3136059

IC Lights 1 diffuser for brass
version



RF3160100

Kit with screws and allen key